









































| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|---|---|------------------|--------|---------------------------|
| (-) -Levobunolol hydrochloride |  | C ₁₇ H ₂₆ ClNO ₃ | 327.85 | Alamar | 0 |
| (+) -Levobunolol hydrochloride |  | C ₁₇ H ₂₆ ClNO ₃ | 327.85 | Alamar | 0 |
| (1-[(4-Chlorophenyl)phenyl-methyl]-4-methylpiperazine) |  | C ₁₈ H ₂₂ Cl ₂ N ₂ | 337.30 | Alamar | 64 |
| (cis-) Nanophine |  | C ₇ H ₁₆ ClN | 149.67 | Alamar | 0 |
| (d,l)-Tetrahydroberberine |  | C ₂₀ H ₂₁ NO ₄ | 339.39 | Alamar | 0 |
| (R) -Naproxen sodium salt |  | C ₁₄ H ₁₃ NaO ₃ | 252.25 | Alamar | 0 |
| 3-alpha-hydroxy-5-beta-androstan-17-one |  | C ₁₉ H ₃₀ O ₂ | 290.45 | Alamar | 0 |
| 3-Hydroxymethyl-beta-carboline |  | C ₁₂ H ₁₀ N ₂ O | 198.23 | Alamar | 47 |
| 6-Furfurylamino-purine |  | C ₁₀ H ₉ N ₅ O | 215.22 | Alamar | 13 |
| Acebutolol hydrochloride |  | C ₁₈ H ₂₉ ClN ₂ O ₄ | 372.90 | Alamar | 2 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------|---|---|------------------|--------|---------------------------|
| Aceclofenac |  | C ₁₆ H ₁₃ Cl ₂ N ₂ O ₄ | 354.19 | Alamar | 0 |
| Acemetacin |  | C ₂₁ H ₁₈ ClNO ₆ | 415.83 | Alamar | 0 |
| Acenocoumarol |  | C ₁₉ H ₁₅ NO ₆ | 353.33 | Alamar | 0 |
| Acetaminophen |  | C ₈ H ₉ NO ₂ | 151.17 | Alamar | 0 |
| Acetohexamide |  | C ₁₅ H ₂₀ N ₂ O ₄ S | 324.40 | Alamar | 0 |
| Acetohydroxamic acid |  | C ₂ H ₅ NO ₂ | 75.07 | Alamar | 11 |
| Acetylsalicylic acid |  | C ₁₆ H ₁₂ O ₆ | 300.27 | Alamar | 0 |
| Aconitine |  | C ₃₄ H ₄₇ NO ₁₁ | 645.75 | Alamar | 27 |
| Acyclovir |  | C ₈ H ₁₁ N ₅ O ₃ | 225.21 | Alamar | 0 |
| Adamantamine fumarate |  | C ₂₄ H ₃₈ N ₂ O ₄ | 418.58 | Alamar | 12 |










| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|--|------------------|--------|---------------------------|
| Adiphenine hydrochloride |  | C ₂₀ H ₂₆ ClNO ₂ | 347.89 | Alamar | 0 |
| Agmatine sulfate |  | C ₅ H ₁₆ N ₄ O ₄ S | 228.27 | Alamar | 0 |
| Ajmalicine hydrochloride |  | C ₂₁ H ₂₅ ClN ₂ O ₃ | 388.90 | Alamar | 12 |
| Ajmaline |  | C ₂₀ H ₂₆ N ₂ O ₂ | 326.44 | Alamar | 0 |
| Albendazole |  | C ₁₂ H ₁₅ N ₃ O ₂ S | 265.34 | Alamar | 27 |
| Alexidine dihydrochloride |  | C ₂₆ H ₅₈ Cl ₂ N ₁₀ | 581.73 | Alamar | 97 |
| Alfuzocin hydrochloride |  | C ₂₁ H ₃₀ ClN ₃ O ₄ | 423.94 | Alamar | 15 |
| Allantoin |  | C ₄ H ₆ N ₄ O ₃ | 158.12 | Alamar | 0 |
| Alprenolol hydrochloride |  | C ₁₅ H ₂₄ ClNO ₂ | 285.82 | Alamar | 2 |
| Althiazide |  | C ₁₁ H ₁₄ ClN ₃ O ₄ S ₃ | 383.90 | Alamar | 16 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------------|-----------|--|------------------|--------|---------------------------|
| Alverine citrate salt | | C ₂₆ H ₃₅ N ₇ O ₇ | 473.57 | Alamar | 33 |
| Ambroxol hydrochloride | | C ₁₃ H ₁₉ Br ₂ ClN ₂ O | 414.57 | Alamar | 0 |
| Amethopterin (R,S) | | C ₁₉ H ₂₀ N ₈ O ₅ | 440.42 | Alamar | 0 |
| Amidopyrine | | C ₁₃ H ₁₇ N ₃ O | 231.30 | Alamar | 0 |
| Amikacin | | C ₂₂ H ₄₃ N ₅ O ₁₃ | 585.61 | Alamar | 100 |
| Amiloride hydrochloride dihydrate | | C ₆ H ₁₃ Cl ₂ N ₇ O ₃ | 302.12 | Alamar | 97 |
| Aminophylline | | C ₁₆ H ₂₄ N ₁₀ O ₄ | 420.43 | Alamar | 1 |
| Amiodarone hydrochloride | | C ₂₅ H ₃₀ ClI ₂ N ₂ O ₃ | 681.78 | Alamar | 21 |
| Amiprilose hydrochloride | | C ₁₄ H ₂₈ ClN ₂ O ₆ | 341.84 | Alamar | 0 |
| Amitriptyline hydrochloride | | C ₂₀ H ₂₄ ClN | 313.87 | Alamar | 64 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------------|-----------|---|------------------|--------|---------------------------|
| Amodiaquin dihydrochloride dihydrate | | C ₂₀ H ₂₈ Cl ₃ N ₃ O ₃ | 464.82 | Alamar | 24 |
| Amoxicillin | | C ₁₆ H ₁₉ N ₃ O ₅ S | 365.41 | Alamar | 0 |
| Amphotericin B | | C ₄₇ H ₇₃ NO ₁₇ | 924.10 | Alamar | 0 |
| Ampicillin sodium salt | | C ₁₆ H ₁₈ N ₃ NaO ₄ S | 371.39 | Alamar | 0 |
| Amprolium hydrochloride | | C ₁₄ H ₂₀ Cl ₂ N ₄ | 315.25 | Alamar | 28 |
| Amprone | | C ₁₁ H ₁₃ N ₃ O | 203.25 | Alamar | 0 |
| Amrinone | | C ₁₀ H ₉ N ₃ O | 187.20 | Alamar | 0 |
| Amyleine hydrochloride | | C ₁₄ H ₂₂ ClNO ₂ | 271.79 | Alamar | 0 |
| Androsterone | | C ₁₉ H ₃₀ O ₂ | 290.45 | Alamar | 0 |
| Anisomycin | | C ₁₄ H ₁₉ NO ₄ | 265.31 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------------|--|--|------------------|--------|---------------------------|
| Antazoline hydrochloride |  | C ₁₇ H ₂₀ ClN ₃ | 301.82 | Alamar | 28 |
| Anthraquinone, 1,5-diamino |  | C ₁₄ H ₁₀ N ₂ O ₂ | 238.25 | Alamar | 0 |
| Antimycin A |  | C ₂₈ H ₄₀ N ₂ O ₉ | 548.64 | Alamar | 30 |
| Antipyrine |  | C ₁₁ H ₁₂ N ₂ O | 188.23 | Alamar | 0 |
| Antipyrine, 4-hydroxy |  | C ₁₁ H ₁₂ N ₂ O ₂ | 204.23 | Alamar | 0 |
| Apomorphine hydrochloride (R,-) | <small>Chiral</small>  | C ₁₇ H ₁₈ ClNO ₂ | 303.79 | Alamar | 0 |
| Aposcopolamine |  | C ₁₇ H ₁₉ NO ₃ | 285.35 | Alamar | 9 |
| Arcaine sulfate |  | C ₆ H ₁₈ N ₆ O ₄ S | 270.31 | Alamar | 0 |
| Arecoline hydrobromide |  | C ₈ H ₁₄ BrNO ₂ | 236.11 | Alamar | 3 |
| Ascorbic acid |  | C ₆ H ₈ O ₆ | 176.13 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------|-----------|---|------------------|--------|---------------------------|
| Aspartic acid, N-acetyl (R,S) | | C ₆ H ₉ N ₁ O ₅ | 175.14 | Alamar | 1 |
| Astemizole | | C ₂₈ H ₃₁ F ₁ N ₄ O | 458.58 | Alamar | 87 |
| Atractyloside potassium salt | | C ₃₀ H ₄₄ K ₂ O ₁₆ S ₂ | 803.01 | Alamar | 0 |
| Atropine sulfate monohydrate | | C ₃₄ H ₅₀ N ₂ O ₁₁ S | 694.85 | Alamar | 2 |
| Atropine-N-oxide hydrochloride | | C ₁₇ H ₂₄ Cl ₁ N ₁ O ₄ | 341.84 | Alamar | 9 |
| Austricine | | C ₁₅ H ₂₀ O ₅ | 280.32 | Alamar | 0 |
| Avermectin B1a | | C ₄₈ H ₇₂ O ₁₄ | 873.10 | Alamar | 96 |
| Azacyclonol | | C ₁₈ H ₂₁ N ₁ O | 267.37 | Alamar | 0 |
| Azacytidine-5 | | C ₈ H ₁₂ N ₄ O ₅ | 244.21 | Alamar | 8 |
| Azaguanine-8 | | C ₄ H ₄ N ₆ O | 152.12 | Alamar | 64 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|---|------------------|--------|---------------------------|
| Azathioprine |  | C ₉ H ₇ N ₇ O ₂ S | 277.27 | Alamar | 0 |
| Azathymine, 6 |  | C ₄ H ₅ N ₃ O ₂ | 127.10 | Alamar | 0 |
| Azlocillin sodium salt |  | C ₂₀ H ₂₂ N ₅ NaO ₆ S | 483.48 | Alamar | 0 |
| Aztreonam |  | C ₁₃ H ₁₇ N ₅ O ₈ S ₂ | 435.44 | Alamar | 0 |
| Bacampicillin hydrochloride | | C ₂₁ H ₂₈ ClN ₃ O ₇ S | 501.99 | Alamar | 0 |
| Baclofen (R,S) |  | C ₁₀ H ₁₂ ClNO ₂ | 213.67 | Alamar | 0 |
| Bambuterol hydrochloride |  | C ₁₈ H ₃₀ ClN ₃ O ₅ | 403.91 | Alamar | 0 |
| Beclomethasone dipropionate |  | C ₂₈ H ₃₇ ClO ₇ | 521.06 | Alamar | 6 |
| Bendroflumethiazide |  | C ₁₅ H ₁₄ F ₃ N ₃ O ₄ S ₂ | 421.42 | Alamar | 0 |
| Benfluorex hydrochloride |  | C ₁₉ H ₂₁ ClF ₃ NO ₂ | 387.83 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|--|------------------|--------|---------------------------|
| Benfotiamine |  | C ₁₉ H ₂₃ N ₄ O ₆ P ₃ S | 466.46 | Alamar | 0 |
| Benoxinate hydrochloride |  | C ₁₇ H ₂₉ ClN ₂ O ₃ | 344.89 | Alamar | 0 |
| Benperidol |  | C ₂₂ H ₂₄ FN ₃ O ₂ | 381.45 | Alamar | 19 |
| Benzamil hydrochloride |  | C ₁₃ H ₁₅ Cl ₂ N ₇ O | 356.22 | Alamar | 59 |
| Benzbromarone |  | C ₁₇ H ₁₂ Br ₂ O ₃ | 424.09 | Alamar | 0 |
| Benzethonium chloride |  | C ₂₇ H ₄₂ ClNO ₂ | 448.09 | Alamar | 62 |
| Benzocaine |  | C ₉ H ₁₁ NO ₂ | 165.19 | Alamar | 30 |
| Benzthiazide |  | C ₁₅ H ₁₄ ClN ₃ O ₄ S ₃ | 431.94 | Alamar | 0 |
| Benzydamine hydrochloride |  | C ₁₉ H ₂₄ ClN ₃ O | 345.88 | Alamar | 33 |
| Bepidil hydrochloride |  | C ₂₄ H ₃₅ ClN ₂ O | 403.01 | Alamar | 30 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------------|---|---|------------------|--------|---------------------------|
| Berberine chloride |  | C ₂₀ H ₁₈ ClNO ₄ | 371.82 | Alamar | 0 |
| Bergenin monohydrate |  | C ₁₄ H ₁₈ O ₁₀ | 346.29 | Alamar | 16 |
| Berlambine |  | C ₂₀ H ₁₇ NO ₅ | 351.36 | Alamar | 8 |
| beta- Belladonnine dichloroethylate |  | C ₃₈ H ₅₂ Cl ₂ N ₂ O ₄ | 671.76 | Alamar | 0 |
| Betahistine mesylate |  | C ₉ H ₁₆ N ₂ O ₃ S | 232.30 | Alamar | 2 |
| Betamethasone |  | C ₂₂ H ₂₉ FO ₅ | 392.47 | Alamar | 0 |
| Betaxolol hydrochloride |  | C ₁₈ H ₃₀ ClNO ₃ | 343.90 | Alamar | 15 |
| Betonicine |  | C ₇ H ₁₃ NO ₃ | 159.19 | Alamar | 0 |
| Betulinic acid |  | C ₃₀ H ₄₈ O ₃ | 456.72 | Alamar | 40 |
| Bezafibrate |  | C ₁₉ H ₂₀ ClNO ₄ | 361.83 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------|---|---|------------------|--------|---------------------------|
| Bicuculline (+) |  | C ₂₀ H ₁₇ NO ₆ | 367.36 | Alamar | 0 |
| Biotin |  | C ₁₀ H ₁₆ N ₂ O ₃ S | 244.31 | Alamar | 0 |
| Biperiden hydrochloride |  | C ₂₁ H ₃₀ ClNO | 347.93 | Alamar | 26 |
| Bisacodyl |  | C ₂₂ H ₁₉ NO ₄ | 361.40 | Alamar | 1 |
| Boldine |  | C ₁₉ H ₂₁ NO ₄ | 327.38 | Alamar | 39 |
| Bromocryptine mesylate |  | C ₃₃ H ₄₄ BrN ₅ O ₈ S | 750.72 | Alamar | 66 |
| Bromopride |  | C ₁₄ H ₂₂ BrN ₃ O ₂ | 344.25 | Alamar | 11 |
| Bromperidol |  | C ₂₁ H ₂₃ BrFNO ₂ | 420.33 | Alamar | 49 |
| Brompheniramine maleate |  | C ₂₀ H ₂₃ BrN ₂ O ₄ | 435.32 | Alamar | 0 |
| Bucladesine sodium salt |  | C ₁₈ H ₂₅ N ₅ NaO ₉ P | 509.39 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|---|------------------|--------|---------------------------|
| Budesonide |  | C ₂₅ H ₃₄ O ₆ | 430.55 | Alamar | 0 |
| Bufexamac |  | C ₁₂ H ₁₇ NO ₃ | 223.27 | Alamar | 26 |
| Buflomedil hydrochloride |  | C ₁₇ H ₂₆ ClNO ₄ | 343.85 | Alamar | 3 |
| Bumetanide |  | C ₁₇ H ₂₀ N ₂ O ₅ S | 364.42 | Alamar | 0 |
| Bupivacaine hydrochloride |  | C ₁₈ H ₂₉ ClN ₂ O | 324.90 | Alamar | 7 |
| Bupropion hydrochloride |  | C ₁₃ H ₁₉ Cl ₂ NO | 276.21 | Alamar | 0 |
| Busulfan |  | C ₆ H ₁₄ O ₆ S ₂ | 246.30 | Alamar | 0 |
| Butacaine |  | C ₁₈ H ₃₀ N ₂ O ₂ | 306.45 | Alamar | 0 |
| Butamben |  | C ₁₁ H ₁₅ NO ₂ | 193.25 | Alamar | 39 |
| Butirosin disulfate salt |  | C ₂₁ H ₄₅ N ₅ O ₂₀ S ₂ | 751.74 | Alamar | 2 |










| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------------|---|---|------------------|--------|---------------------------|
| Calciferol |  | C ₂₈ H ₄₄ O | 396.66 | Alamar | 14 |
| Calycanthine |  | C ₂₂ H ₂₆ N ₄ | 346.48 | Alamar | 0 |
| Canavanine sulfate monohydrate (L,+) |  | C ₅ H ₁₆ N ₄ O ₈ S | 292.27 | Alamar | 0 |
| Canrenoic acid potassium salt |  | C ₂₂ H ₂₉ KO ₄ | 396.58 | Alamar | 0 |
| Capsaicin |  | C ₁₈ H ₂₇ NO ₃ | 305.42 | Alamar | 17 |
| Captopril |  | C ₉ H ₁₅ NO ₃ S | 217.29 | Alamar | 10 |
| Carbachol |  | C ₆ H ₁₅ ClN ₂ O ₂ | 182.65 | Alamar | 0 |
| Carbenicillin disodium salt |  | C ₁₇ H ₁₆ N ₂ Na ₂ O ₆ S | 422.37 | Alamar | 0 |
| Carbenoxolone disodium salt |  | C ₃₄ H ₄₈ Na ₂ O ₇ | 614.74 | Alamar | 0 |
| Carbetapentane citrate |  | C ₂₆ H ₃₉ NO ₁₀ | 525.60 | Alamar | 10 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|---|-------------------|------------------|--------|---------------------------|
| Carbimazole |  | C7H10N2O2S | 186.23 | Alamar | 0 |
| Carbinoxamine maleate salt |  | C20H23ClN2O5 | 406.87 | Alamar | 10 |
| Carcinine hydrochloride |  | C8H16Cl2N4O | 255.15 | Alamar | 0 |
| Carisoprodol |  | C12H24N2O4 | 260.34 | Alamar | 0 |
| Catechin-(+,-) hydrate |  | C15H14O6 | 290.28 | Alamar | 0 |
| Cefaclor |  | C15H16ClN3O5S | 385.83 | Alamar | 0 |
| Cefadroxil |  | C16H17N3O5S | 363.39 | Alamar | 0 |
| Cefamandole sodium salt |  | C18H17N6NaO5S2 | 484.49 | Alamar | 0 |
| Cefazolin sodium salt |  | C14H13N8NaO4S3 | 476.49 | Alamar | 0 |
| Cefmetazole sodium salt |  | C15H16N7NaO5S3 | 493.52 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---|---|--|------------------|--------|---------------------------|
| Cefoperazone dihydrate |  | C ₂₅ H ₃₁ N ₉ O ₁₀ S ₂ | 681.71 | Alamar | 0 |
| Cefotaxime sodium salt |  | C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ | 477.45 | Alamar | 0 |
| Cefoxitin sodium salt |  | C ₁₆ H ₁₆ N ₃ NaO ₇ S ₂ | 449.44 | Alamar | 0 |
| Cefsulodin sodium salt |  | C ₂₂ H ₁₉ N ₄ NaO ₈ S ₂ | 554.54 | Alamar | 15 |
| Cefuroxime sodium salt |  | C ₁₆ H ₁₅ N ₄ NaO ₈ S | 446.37 | Alamar | 0 |
| Cephaeline dihydrochloride heptahydrate |  | C ₂₈ H ₅₄ Cl ₂ N ₂ O ₁₁ | 665.66 | Alamar | 0 |
| Cephalexin monohydrate |  | C ₁₆ H ₁₉ N ₃ O ₅ S | 365.41 | Alamar | 0 |
| Cephalosporanic acid, 7-amino |  | C ₁₀ H ₁₂ N ₂ O ₅ S | 272.28 | Alamar | 34 |
| Cephalothin sodium salt |  | C ₁₆ H ₁₅ N ₂ NaO ₆ S ₂ | 418.43 | Alamar | 0 |
| Cephapirin sodium salt |  | C ₁₇ H ₁₆ N ₃ NaO ₆ S ₂ | 445.45 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------|-----------|---|------------------|--------|---------------------------|
| Cetirizine dihydrochloride | | C ₂₁ H ₂₇ Cl ₃ N ₂ O ₃ | 461.82 | Alamar | 0 |
| Chelidonium monohydrate (+) | | C ₂₀ H ₂₁ N ₃ O ₆ | 371.39 | Alamar | 50 |
| Chenodiol | | C ₂₄ H ₄₀ O ₄ | 392.58 | Alamar | 0 |
| Chloramphenicol | | C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ | 323.13 | Alamar | 87 |
| Chlorhexidine | | C ₂₂ H ₃₀ Cl ₂ N ₁₀ | 505.46 | Alamar | 96 |
| Chlormezanone | | C ₁₁ H ₁₂ ClNO ₃ S | 273.74 | Alamar | 12 |
| Chloropyramine hydrochloride | | C ₁₆ H ₂₁ Cl ₂ N ₃ | 326.27 | Alamar | 58 |
| Chlorotrianisene | | C ₂₃ H ₂₁ ClO ₃ | 380.88 | Alamar | 0 |
| Chlorpheniramine maleate | | C ₂₀ H ₂₃ ClN ₂ O ₄ | 390.87 | Alamar | 7 |
| Chlorphensin carbamate | | C ₁₀ H ₁₂ ClNO ₄ | 245.66 | Alamar | 2 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------------|---|-------------------|------------------|--------|---------------------------|
| Chlorpropamide |  | C10H13ClN2O3S | 276.74 | Alamar | 0 |
| Chlortetracycline hydrochloride |  | C22H24Cl2N2O8 | 515.35 | Alamar | 24 |
| Chlorthalidone |  | C14H11ClN2O4S | 338.77 | Alamar | 0 |
| Chlorzoxazone |  | C7H4ClNO2 | 169.57 | Alamar | 0 |
| Cholecalciferol |  | C27H44O | 384.65 | Alamar | 0 |
| Chrysene-1,4-quinone |  | C18H10O2 | 258.28 | Alamar | 34 |
| Ciclopirox ethanolamine |  | C14H24N2O3 | 268.36 | Alamar | 2 |
| Cimetidine |  | C10H16N6S | 252.34 | Alamar | 0 |
| Cinchonidine |  | C19H22N2O | 294.40 | Alamar | 17 |
| Cinchonine |  | C19H22N2O | 294.40 | Alamar | 23 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|---|------------------|--------|---------------------------|
| Cinnarizine |  | C ₂₆ H ₂₈ N ₂ | 368.53 | Alamar | 24 |
| Cinoxacin |  | C ₁₂ H ₁₀ N ₂ O ₅ | 262.22 | Alamar | 0 |
| Cisapride |  | C ₂₃ H ₂₉ ClFN ₃ O ₄ | 465.96 | Alamar | 56 |
| Clebopride maleate |  | C ₂₄ H ₂₈ ClN ₃ O ₆ | 489.96 | Alamar | 43 |
| Clemastine fumarate |  | C ₂₅ H ₃₀ ClNO ₅ | 459.97 | Alamar | 43 |
| Clemizole hydrochloride | | C ₁₉ H ₂₁ Cl ₂ N ₃ | 362.31 | Bactec | 0 |
| Clenbuterol hydrochloride |  | C ₁₂ H ₁₉ Cl ₃ N ₂ O | 313.66 | Bactec | 0 |
| Clidinium bromide |  | C ₂₂ H ₂₆ BrNO ₃ | 432.36 | Alamar | 0 |
| Clindamycin hydrochloride |  | C ₁₈ H ₃₄ Cl ₂ N ₂ O ₅ S | 461.45 | Alamar | 70 |
| Clobetasol propionate |  | C ₂₅ H ₃₂ ClFO ₅ | 466.98 | Alamar | 53 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|-----------|---|------------------|--------|---------------------------|
| Clofazimine | | C ₂₇ H ₂₂ Cl ₂ N ₄ | 473.41 | Alamar | 100 |
| Clofibric acid | | C ₁₀ H ₁₁ ClO ₃ | 214.65 | Alamar | 0 |
| Clofilium tosylate | | C ₂₈ H ₄₄ ClNO ₃ S | 510.18 | Alamar | 42 |
| Clomiphene citrate (Z,E) | | C ₃₂ H ₃₆ ClNO ₈ | 598.10 | Alamar | 63 |
| Clomipramine hydrochloride | | C ₁₉ H ₂₄ Cl ₂ N ₂ | 351.32 | Alamar | 45 |
| Clonidine hydrochloride | | C ₉ H ₁₀ Cl ₃ N ₃ | 266.56 | Alamar | 0 |
| Cloпамide | | C ₁₄ H ₂₀ ClN ₃ O ₃ S | 345.85 | Alamar | 0 |
| Cloperastine hydrochloride | | C ₂₀ H ₂₅ Cl ₂ NO | 366.33 | Alamar | 64 |
| Clorgyline hydrochloride | | C ₁₃ H ₁₆ Cl ₃ NO | 308.64 | Alamar | 21 |
| Clotrimazole | | C ₂₂ H ₁₇ ClN ₂ | 344.85 | Alamar | 92 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|---|------------------|--------|---------------------------|
| Cloxacillin sodium salt |  | C ₁₉ H ₁₇ ClN ₃ NaO ₅ S | 457.87 | Alamar | 0 |
| Clozapine |  | C ₁₈ H ₁₉ ClN ₄ | 326.83 | Alamar | 13 |
| Colchicine |  | C ₂₂ H ₂₅ NO ₆ | 399.45 | Alamar | 0 |
| Colistin sulfate |  | C ₅₂ H ₁₀₂ N ₁₆ O ₂₁ S ₂ | 1351.62 | Alamar | 25 |
| Conessine |  | C ₂₄ H ₄₀ N ₂ | 356.60 | Alamar | 29 |
| Coniine hydrochloride (D,L) |  | C ₈ H ₁₈ ClN | 163.69 | Alamar | 18 |
| Convolamine hydrochloride |  | C ₁₇ H ₂₄ ClNO ₄ | 341.84 | Alamar | 39 |
| Coralyne chloride hydrate |  | C ₂₂ H ₂₄ ClNO ₅ | 417.89 | Alamar | 29 |
| Corticosterone |  | C ₂₁ H ₃₀ O ₄ | 346.47 | Alamar | 0 |
| Cortisone |  | C ₂₁ H ₂₈ O ₅ | 360.45 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------|---|--|------------------|--------|---------------------------|
| Corynanthine hydrochloride |  | C ₂₁ H ₂₇ CIN ₂ O ₃ | 390.91 | Alamar | 27 |
| Cotinine (-) |  | C ₁₀ H ₁₂ N ₂ O | 176.22 | Alamar | 0 |
| Cromolyn disodium salt |  | C ₂₃ H ₁₄ Na ₂ O ₁₁ | 512.34 | Alamar | 10 |
| Cyanocobalamin |  | C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P | 1355.40 | Alamar | 33 |
| Cyclizine hydrochloride |  | C ₁₈ H ₂₃ CIN ₂ | 302.85 | Alamar | 12 |
| Cyclobenzaprine hydrochloride |  | C ₂₀ H ₂₂ CIN | 311.86 | Alamar | 51 |
| Cycloheximide |  | C ₁₅ H ₂₃ NO ₄ | 281.35 | Alamar | 2 |
| Cyclophosphamide monohydrate |  | C ₇ H ₁₇ Cl ₂ N ₂ O ₃ P | 279.10 | Alamar | 22 |
| Cyclosporin A |  | C ₆₂ H ₁₁₁ N ₁₁ O ₁₂ | 1202.64 | Alamar | 39 |
| Cyproheptadine hydrochloride |  | C ₂₁ H ₂₂ CIN | 323.87 | Alamar | 70 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------------|--|-------------------|------------------|--------|---------------------------|
| Cytisine (-) |  Chiral | C11H14N2O | 190.25 | Alamar | 0 |
| Dacarbazine |  | C6H10N6O | 182.19 | Alamar | 92 |
| Danazol |  Chiral | C22H27NO2 | 337.47 | Alamar | 1 |
| Dantrolene sodium salt dihydrate |  | C14H13N4NaO7 | 372.27 | Alamar | 21 |
| Dapsone |  | C12H12N2O2S | 248.31 | Alamar | 44 |
| Daunorubicin hydrochloride |  | C27H30ClNO10 | 563.99 | Alamar | 95 |
| Debrisoquin sulfate |  | C20H28N6O4S | 448.55 | Alamar | 0 |
| Deferoxamine mesylate |  | C26H52N6O11S | 656.80 | Alamar | 0 |
| Dehydrocholic acid |  | C24H34O5 | 402.54 | Alamar | 10 |
| Delcorine |  | C26H41NO7 | 479.62 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---|---|---|------------------|--------|---------------------------|
| Delsoline |  | C ₂₅ H ₄₁ N ₁ O ₇ | 467.61 | Alamar | 0 |
| Deltaline |  | C ₂₇ H ₄₁ N ₁ O ₈ | 507.63 | Alamar | 0 |
| Demeclocycline hydrochloride |  | C ₂₁ H ₂₂ Cl ₂ N ₂ O ₈ | 501.32 | Alamar | 65 |
| Dequalinium dichloride hydrate |  | C ₃₀ H ₄₂ Cl ₂ N ₄ O | 545.60 | Alamar | 80 |
| Desipramine hydrochloride |  | C ₁₈ H ₂₃ ClN ₂ | 302.85 | Alamar | 38 |
| Dexamethasone acetate |  | C ₂₄ H ₃₁ FO ₆ | 434.51 | Alamar | 0 |
| Dextromethorphan hydrobromide monohydrate |  | C ₁₈ H ₂₈ BrNO ₂ | 370.33 | Alamar | 0 |
| Diaziquone |  | C ₁₆ H ₂₀ N ₄ O ₆ | 364.36 | Alamar | 42 |
| Diazoxide |  | C ₈ H ₇ ClN ₂ O ₂ S | 230.67 | Alamar | 29 |
| Dibucaine |  | C ₂₀ H ₂₉ N ₃ O ₂ | 343.47 | Alamar | 45 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|---|-------------------|------------------|--------|---------------------------|
| Dichlorophenamide |  | C6H6Cl2N2O4S2 | 305.16 | Alamar | 0 |
| Dicloxacillin sodium salt |  | C19H16Cl2N3NaO5S | 492.32 | Alamar | 0 |
| Dicumarol |  | C19H12O6 | 336.30 | Alamar | 0 |
| Dicyclimine hydrochloride |  | C19H36ClNO2 | 345.96 | Alamar | 52 |
| Dienestrol |  | C18H18O2 | 266.34 | Alamar | 40 |
| Diethylcarbamazine citrate |  | C16H29N3O8 | 391.42 | Alamar | 0 |
| Diethylstilbestrol |  | C18H20O2 | 268.36 | Alamar | 8 |
| Diflunisal |  | C13H8F2O3 | 250.20 | Alamar | 0 |
| Digitoxigenin |  | C23H34O4 | 374.53 | Alamar | 0 |
| Digoxin |  | C41H64O14 | 780.96 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------|---|-------------------|------------------|--------|---------------------------|
| Dihydroergocristine mesylate |  | C36H45N5O8S | 707.85 | Alamar | 50 |
| Dihydroergotamine tartrate |  | C70H80N10O16 | 1317.48 | Alamar | 17 |
| Dihydroergotoxine mesylate |  | C34H41N5O8S | 679.80 | Alamar | 44 |
| Dihydrostreptomycin sulfate |  | C42H88N14O36S3 | 1461.43 | Alamar | 99 |
| Dilazep dihydrochloride |  | C31H46Cl2N2O10 | 677.63 | Alamar | 0 |
| Diltiazem hydrochloride |  | C22H27ClN2O4S | 450.99 | Alamar | 0 |
| Dimenhydrinate |  | C24H28ClN5O3 | 469.98 | Alamar | 11 |
| Dimethadione |  | C5H7NO3 | 129.12 | Alamar | 0 |
| Dinoprost trometamol |  | C24H45NO8 | 475.63 | Alamar | 0 |
| Dinoprostone |  | C20H32O5 | 352.48 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------|-----------|-------------------|------------------|--------|---------------------------|
| Diperodon hydrochloride | | C22H28ClN3O4 | 433.94 | Alamar | 0 |
| Diphemanil methylsulfate | | C21H27NO4S | 389.52 | Alamar | 52 |
| Diphenhydramine hydrochloride | | C17H22ClNO | 291.82 | Alamar | 24 |
| Diphenidol hydrochloride | | C21H28ClNO | 345.92 | Alamar | 0 |
| Diprophylline | | C10H14N4O4 | 254.25 | Alamar | 0 |
| Dipyron | | C13H16N3NaO4S | 333.34 | Alamar | 0 |
| Dirithromycin | | C42H78N2O14 | 835.09 | Alamar | 61 |
| Disopyramide | | C21H29N3O | 339.48 | Alamar | 0 |
| Dizocilpine maleate | | C20H19NO4 | 337.38 | Alamar | 0 |
| DO 897/99 | | C26H33Cl2N3O2 | 490.48 | Alamar | 45 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|-----------|---|------------------|--------|---------------------------|
| Dobutamine hydrochloride | | C ₁₈ H ₂₄ ClNO ₃ | 337.85 | Alamar | 0 |
| Domperidone | | C ₂₂ H ₂₄ ClN ₅ O ₂ | 425.92 | Alamar | 16 |
| Dosulepin hydrochloride | | C ₁₉ H ₂₂ ClNS | 331.91 | Alamar | 57 |
| Doxazosin mesylate | | C ₂₄ H ₂₉ N ₅ O ₈ S | 547.59 | Alamar | 53 |
| Doxepin hydrochloride | | C ₁₉ H ₂₂ ClNO | 315.85 | Alamar | 32 |
| Doxorubicin hydrochloride | | C ₂₇ H ₃₀ ClNO ₁₁ | 579.99 | Alamar | 2 |
| Doxycycline hydrochloride | | C ₂₂ H ₂₅ ClN ₂ O ₈ | 480.91 | Alamar | 66 |
| Doxylamine succinate | | C ₂₁ H ₂₈ N ₂ O ₅ | 388.47 | Alamar | 0 |
| Drofenine hydrochloride | | C ₂₀ H ₃₂ ClNO ₂ | 353.94 | Alamar | 51 |
| Droperidol | | C ₂₂ H ₂₂ FN ₃ O ₂ | 379.44 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|---|---|------------------|--------|---------------------------|
| Enoxacin |  | C ₁₅ H ₁₇ N ₃ O ₃ | 320.33 | Alamar | 12 |
| Epiandrosterone |  | C ₁₉ H ₃₀ O ₂ | 290.45 | Alamar | 0 |
| Epirizole |  | C ₁₁ H ₁₄ N ₄ O ₂ | 234.26 | Alamar | 15 |
| Epivincamine |  | C ₂₁ H ₂₆ N ₂ O ₃ | 354.45 | Alamar | 0 |
| Equilin |  | C ₁₈ H ₂₀ O ₂ | 268.36 | Alamar | 9 |
| Ergocryptine-alpha |  | C ₃₂ H ₄₁ N ₅ O ₅ | 575.71 | Alamar | 60 |
| Erythromycin |  | C ₃₇ H ₆₇ N ₁₃ | 733.95 | Alamar | 45 |
| Eserine sulfate, physostigmine sulfate |  | C ₃₀ H ₄₄ N ₆ O ₈ S | 648.78 | Alamar | 20 |
| Estradiol-17 beta |  | C ₁₈ H ₂₄ O ₂ | 272.39 | Alamar | 2 |
| Etanidazole |  | C ₇ H ₁₀ N ₄ O ₄ | 214.18 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------------|-----------|---|------------------|--------|---------------------------|
| Ethacrynic acid | | C ₁₃ H ₁₂ Cl ₂ O ₄ | 303.14 | Alamar | 0 |
| Ethambutol dihydrochloride | | C ₁₀ H ₂₆ Cl ₂ N ₂ O ₂ | 277.24 | Alamar | 95 |
| Ethamivan | | C ₁₂ H ₁₇ NO ₃ | 223.27 | Alamar | 12 |
| Ethaverine hydrochloride | | C ₂₄ H ₃₀ ClNO ₄ | 431.96 | Alamar | 11 |
| Ethionamide | | C ₈ H ₁₀ N ₂ S | 166.25 | Alamar | 89 |
| Ethisterone | | C ₂₁ H ₂₈ O ₂ | 312.46 | Alamar | 0 |
| Ethosuximide | | C ₇ H ₁₁ NO ₂ | 141.17 | Alamar | 0 |
| Ethoxyquin | | C ₁₄ H ₁₉ NO | 217.31 | Alamar | 0 |
| Ethinylestradiol 3-methyl ether | | C ₂₁ H ₂₆ O ₂ | 310.44 | Alamar | 42 |
| Etidronic acid, disodium salt | | C ₂ H ₆ Na ₂ O ₇ P ₂ | 249.99 | Alamar | 5 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|---|------------------|--------|---------------------------|
| Etifenin |  | C ₁₆ H ₂₂ N ₂ O ₅ | 322.36 | Alamar | 21 |
| Etodolac |  | C ₁₇ H ₂₁ N ₁ O ₃ | 287.36 | Alamar | 0 |
| Etofylline |  | C ₉ H ₁₂ N ₄ O ₃ | 224.22 | Alamar | 7 |
| Etoposide |  | C ₂₉ H ₃₂ O ₁₃ | 588.57 | Alamar | 100 |
| Eucatropine hydrochloride |  | C ₁₇ H ₂₆ ClNO ₃ | 327.85 | Alamar | 0 |
| Evoxine |  | C ₁₈ H ₂₁ NO ₆ | 347.37 | Alamar | 0 |
| Famotidine |  | C ₈ H ₁₅ N ₇ O ₂ S ₃ | 337.45 | Alamar | 0 |
| Felodipine |  | C ₁₈ H ₁₉ Cl ₂ N ₁ O ₄ | 384.26 | Alamar | 18 |
| Fenbendazole |  | C ₁₅ H ₁₃ N ₃ O ₂ S | 299.35 | Alamar | 0 |
| Fenbufen |  | C ₁₆ H ₁₄ O ₃ | 254.29 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------------|---|---|------------------|--------|---------------------------|
| Fendiline hydrochloride |  | C ₂₃ H ₂₆ ClN | 351.92 | Alamar | 42 |
| Fenfluramine hydrochloride |  | C ₁₂ H ₁₆ F ₃ N | 231.26 | Alamar | 4 |
| Fenofibrate |  | C ₂₀ H ₂₁ ClO ₄ | 360.84 | Alamar | 23 |
| Fenoprofen calcium salt dihydrate |  | C ₃₀ H ₃₀ CaO ₈ | 558.65 | Alamar | 28 |
| Fenoterol hydrobromide |  | C ₁₇ H ₂₂ BrNO ₄ | 384.27 | Alamar | 0 |
| Fenspiride hydrochloride |  | C ₁₅ H ₂₁ ClN ₂ O ₂ | 296.80 | Alamar | 0 |
| Fillalbin |  | C ₁₆ H ₂₁ NO ₄ | 291.35 | Alamar | 0 |
| Fipexide hydrochloride |  | C ₂₀ H ₂₂ Cl ₂ N ₂ O ₄ | 425.32 | Alamar | 0 |
| Flavoxate hydrochloride |  | C ₂₄ H ₂₆ ClNO ₄ | 427.93 | Alamar | 0 |
| Fludrocortisone |  | C ₂₁ H ₂₉ FO ₅ | 380.46 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------------|-----------|--|------------------|--------|---------------------------|
| Flumequine | | C ₁₄ H ₁₂ FNO ₃ | 261.26 | Alamar | 0 |
| Flumethasone | | C ₂₂ H ₂₈ F ₂ O ₅ | 410.46 | Alamar | 19 |
| Flunarizine dihydrochloride | | C ₂₆ H ₂₈ Cl ₂ F ₂ N ₂ | 477.43 | Alamar | 42 |
| Flunisolide | | C ₂₄ H ₃₁ FO ₆ | 434.51 | Alamar | 1 |
| Fluocinonide | | C ₂₆ H ₃₂ F ₂ O ₇ | 494.54 | Alamar | 0 |
| Fluorouracil chloride | | C ₂₀ H ₂₃ ClN ₂ O | 342.87 | Alamar | 0 |
| Fluorometholone | | C ₂₂ H ₂₉ FO ₄ | 376.47 | Alamar | 10 |
| Fluoxetine hydrochloride | | C ₁₇ H ₁₉ ClF ₃ NO | 345.80 | Alamar | 61 |
| Flupentixol dihydrochloride cis-(Z) | | C ₂₃ H ₂₇ Cl ₂ F ₃ N ₂ O ₅ | 507.45 | Alamar | 62 |
| Flurandrenolide | | C ₂₄ H ₃₃ FO ₆ | 436.53 | Alamar | 3 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|-----------|-------------------|------------------|--------|---------------------------|
| Flutamide | | C11H11F3N2O3 | 276.22 | Alamar | 49 |
| Fluvastatin sodium salt | | C24H25FNNaO4 | 433.46 | Alamar | 0 |
| Folic acid | | C19H19N7O6 | 441.41 | Alamar | 20 |
| Folinic acid calcium salt | | C20H21CaN7O7 | 511.51 | Alamar | 7 |
| Foliosidine | | C16H21NO5 | 307.35 | Alamar | 0 |
| Foscarnet | | CH12Na3O11P | 300.04 | Alamar | 0 |
| Fosfosal | | C7H7O6P | 218.10 | Alamar | 15 |
| Furaltadone hydrochloride | | C13H17ClN4O6 | 360.76 | Alamar | 5 |
| Furazolidone | | C8H7N3O5 | 225.16 | Alamar | 4 |
| Fusidic acid sodium salt | | C31H47NaO6 | 538.71 | Alamar | 72 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|---|------------------|--------|---------------------------|
| Gabapentin |  | C ₉ H ₁₇ NO ₂ | 171.24 | Alamar | 10 |
| Gabazine |  | C ₁₅ H ₁₈ BrN ₃ O ₃ | 368.23 | Alamar | 0 |
| Galanthamine hydrobromide |  | C ₁₇ H ₂₂ BrNO ₃ | 368.27 | Alamar | 50 |
| Gallamine triethiodide |  | C ₃₀ H ₆₀ I ₃ N ₃ O ₃ | 891.54 | Alamar | 0 |
| Ganciclovir |  | C ₉ H ₁₃ N ₅ O ₄ | 255.24 | Alamar | 0 |
| GBR 12909 dihydrochloride |  | C ₂₈ H ₃₄ Cl ₂ F ₂ N ₂ O | 523.50 | Alamar | 49 |
| Gelsemine |  | C ₂₀ H ₂₂ N ₂ O ₂ | 322.41 | Alamar | 0 |
| Gemfibrozil |  | C ₁₅ H ₂₂ O ₃ | 250.34 | Alamar | 0 |
| Gentamicine sulfate |  | C ₆₀ H ₁₂₅ N ₁₅ O ₂₅ S | 1488.81 | Alamar | 15 |
| Ginkgolide A |  | C ₂₀ H ₂₄ O ₉ | 408.41 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------|-----------|-------------------|------------------|--------|---------------------------|
| Glafenine hydrochloride | | C19H18Cl2N2O4 | 409.27 | Alamar | 14 |
| Gliclazide | | C15H21N3O3S | 323.42 | Alamar | 0 |
| Glutethimide, para-amino | | C13H16N2O2 | 232.28 | Alamar | 0 |
| Glycocholic acid | | C26H43NO6 | 465.64 | Alamar | 0 |
| Gramicidin | ----- | C99H140N20O17 | 1882.34 | Alamar | 98 |
| Gramine, 7-benzyloxy | | C18H20N2O | 280.37 | Alamar | 40 |
| Graveoline | | C17H13NO3 | 279.30 | Alamar | 5 |
| Griseofulvin | | C17H17ClO6 | 352.77 | Alamar | 0 |
| Guaifenesin | | C10H14O4 | 198.22 | Alamar | 0 |
| Guanabenz acetate | | C10H12Cl2N4O2 | 291.14 | Alamar | 33 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------------|---|-------------------|------------------|--------|---------------------------|
| Guanethidine sulfate |  | C10H24N4O4S | 296.39 | Alamar | 0 |
| Guanfacine hydrochloride |  | C9H10Cl3N3O | 282.56 | Alamar | 35 |
| Halcinonide |  | C24H32ClFO5 | 454.97 | Alamar | 50 |
| Haloprogin |  | C9H4Cl3IO | 361.40 | Alamar | 34 |
| Harmaline hydrochloride dihydrate |  | C13H19ClN2O3 | 286.76 | Alamar | 17 |
| Harmalol hydrochloride dihydrate |  | C12H17ClN2O3 | 272.73 | Alamar | 11 |
| Harmene hydrochloride |  | C12H11ClN2 | 218.69 | Alamar | 40 |
| Harmine hydrochloride |  | C13H13ClN2O | 248.71 | Alamar | 42 |
| Harmol hydrochloride monohydrate |  | C12H13ClN2O2 | 252.70 | Alamar | 31 |
| Hecogenin |  | C27H42O4 | 430.63 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|---|---|------------------|--------|---------------------------|
| Heliotrine |  | C ₁₆ H ₂₇ NO ₅ | 313.40 | Alamar | 0 |
| Hemicholinium bromide |  | C ₂₄ H ₃₄ Br ₂ N ₂ O ₄ | 574.36 | Alamar | 0 |
| Hepes,4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid |  | C ₈ H ₁₈ N ₂ O ₄ S | 238.31 | Alamar | 0 |
| Heptaminol hydrochloride |  | C ₈ H ₂₀ ClNO | 181.71 | Alamar | 19 |
| Hesperidin |  | C ₂₈ H ₃₄ O ₁₅ | 610.57 | Alamar | 0 |
| Hexamethonium dibromide dihydrate |  | C ₁₂ H ₃₄ Br ₂ N ₂ O ₂ | 398.22 | Alamar | 0 |
| Hexestrol |  | C ₁₈ H ₂₂ O ₂ | 270.37 | Alamar | 0 |
| Hippeastrine hydrobromide |  | C ₁₇ H ₁₈ BrNO ₅ | 396.24 | Alamar | 0 |
| Homatropine hydrobromide (R,S) |  | C ₁₆ H ₂₂ BrNO ₃ | 356.26 | Alamar | 25 |
| Homochlorcyclizine dihydrochloride |  | C ₁₉ H ₂₅ Cl ₃ N ₂ | 387.78 | Alamar | 47 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------------|---|---|------------------|--------|---------------------------|
| Hydralazine hydrochloride |  | C ₈ H ₉ ClN ₄ | 196.64 | Alamar | 0 |
| Hydrastine hydrochloride |  | C ₂₁ H ₂₂ ClNO ₆ | 419.87 | Alamar | 0 |
| Hydrastinine hydrochloride |  | C ₁₁ H ₁₄ ClNO ₃ | 243.69 | Alamar | 0 |
| Hydrochlorothiazide |  | C ₇ H ₈ ClN ₃ O ₄ S ₂ | 297.74 | Alamar | 0 |
| Hydrocortisone base |  | C ₂₁ H ₃₀ O ₅ | 362.47 | Alamar | 0 |
| Hydrocotarnine hydrobromide |  | C ₁₂ H ₁₆ BrNO ₃ | 302.17 | Alamar | 0 |
| Hydroflumethiazide |  | C ₈ H ₈ F ₃ N ₃ O ₄ S ₂ | 331.29 | Alamar | 16 |
| Hydroquinine hydrobromide hydrate |  | C ₂₀ H ₂₉ BrN ₂ O ₃ | 425.37 | Alamar | 12 |
| Hydroxytacrine maleate (R,S) |  | C ₁₇ H ₁₈ N ₂ O ₅ | 330.34 | Alamar | 0 |
| Hydroxyzine dihydrochloride |  | C ₂₁ H ₂₉ Cl ₃ N ₂ O ₂ | 447.84 | Alamar | 23 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------|-----------|--|------------------|--------|---------------------------|
| Hyoscyamine (L) | | C ₁₇ H ₂₃ NO ₃ | 289.38 | Alamar | 17 |
| Idoxuridine | | C ₉ H ₁₁ N ₂ O ₅ | 354.10 | Alamar | 11 |
| Ifenprodil tartrate | | C ₂₅ H ₃₃ NO ₈ | 475.54 | Alamar | 3 |
| Imipenem | | C ₁₂ H ₁₇ N ₃ O ₄ S | 299.35 | Alamar | 0 |
| Imipramine hydrochloride | | C ₁₉ H ₂₅ ClN ₂ | 316.88 | Alamar | 74 |
| Indapamide | | C ₁₆ H ₁₆ ClN ₃ O ₃ S | 365.84 | Alamar | 0 |
| Indoprofen | | C ₁₇ H ₁₅ NO ₃ | 281.31 | Alamar | 0 |
| lobenguane sulfate | | C ₈ H ₁₂ IN ₃ O ₄ S | 373.17 | Alamar | 0 |
| Iohexol | | C ₁₉ H ₂₆ I ₃ N ₃ O ₉ | 821.15 | Alamar | 0 |
| Ipratropium bromide | | C ₂₀ H ₃₀ BrNO ₃ | 412.37 | Alamar | 29 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|-----------|--|------------------|--------|---------------------------|
| Iproniazide phosphate | | C ₉ H ₁₆ N ₃ O ₅ P | 277.22 | Alamar | 0 |
| Isoconazole | | C ₁₈ H ₁₄ Cl ₄ N ₂ O | 416.14 | Alamar | 99 |
| Isocorydine (+) | | C ₂₀ H ₂₃ N ₃ O ₄ | 341.41 | Alamar | 3 |
| Isoetharine mesylate salt | | C ₁₄ H ₂₅ N ₃ O ₆ S | 335.42 | Alamar | 0 |
| Isopropamide iodide | | C ₂₂ H ₃₁ N ₂ O | 466.41 | Alamar | 0 |
| Isopyrin hydrochloride | | C ₁₄ H ₂₀ ClN ₃ O | 281.79 | Alamar | 0 |
| Isoquinoline, 6,7-dimethoxy-1-methyl-1,2,3,4-tetrahydro, hydrochloride | | C ₁₂ H ₁₈ ClNO ₂ | 243.74 | Alamar | 0 |
| Isosorbide dinitrate | | C ₆ H ₈ N ₂ O ₈ | 236.14 | Alamar | 0 |
| Isotretinoin | | C ₂₀ H ₂₈ O ₂ | 300.44 | Alamar | 37 |
| Isoxicam | | C ₁₄ H ₁₃ N ₃ O ₅ S | 335.34 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|---|------------------|--------|---------------------------|
| Isoxsuprine hydrochloride |  | C ₁₈ H ₂₄ ClNO ₃ | 337.85 | Alamar | 11 |
| Ivermectin |  | C ₄₈ H ₇₄ O ₁₄ | 875.12 | Alamar | 95 |
| Josamycin |  | C ₄₂ H ₆₉ NO ₁₅ | 828.02 | Alamar | 13 |
| Kanamycin A sulfate |  | C ₁₈ H ₃₈ N ₄ O ₁₅ S | 582.59 | Alamar | 0 |
| Karakoline |  | C ₂₂ H ₃₅ NO ₄ | 377.53 | Alamar | 0 |
| Kawain |  | C ₁₄ H ₁₄ O ₃ | 230.27 | Alamar | 0 |
| Ketanserin tartrate hydrate |  | C ₂₆ H ₃₀ FN ₃ O ₁₀ | 563.54 | Alamar | 31 |
| Ketoconazole |  | C ₂₆ H ₂₈ Cl ₂ N ₄ O ₄ | 531.44 | Alamar | 99 |
| Ketoprofen |  | C ₁₆ H ₁₄ O ₃ | 254.29 | Alamar | 0 |
| Ketotifen fumarate |  | C ₂₃ H ₂₃ NO ₅ S | 425.51 | Alamar | 3 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|---|------------------|--------|---------------------------|
| Khellin |  | C ₁₄ H ₁₂ O ₅ | 260.25 | Alamar | 1 |
| Kynurenine, 3-hydroxy (R,S) |  | C ₁₀ H ₁₂ N ₂ O ₄ | 224.22 | Alamar | 0 |
| Labetalol hydrochloride |  | C ₁₉ H ₂₅ ClN ₂ O ₃ | 364.88 | Alamar | 4 |
| Lactobionic acid |  | C ₁₂ H ₂₂ O ₁₂ | 358.30 | Alamar | 0 |
| Lanatoside C |  | C ₄₉ H ₇₆ O ₂₀ | 985.14 | Alamar | 0 |
| Lasalocid sodium salt |  | C ₃₄ H ₅₃ NaO ₈ | 612.79 | Alamar | 29 |
| Laudanosin, 6'-bromo (R,S) |  | C ₂₁ H ₂₆ BrNO ₄ | 436.35 | Alamar | 15 |
| Leflunomide |  | C ₁₂ H ₉ F ₃ N ₂ O ₂ | 270.21 | Alamar | 1 |
| Levamisole hydrochloride |  | C ₁₁ H ₁₃ ClN ₂ S | 240.76 | Alamar | 0 |
| Levocarnitine |  | C ₇ H ₁₅ NO ₃ | 161.20 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|---|---|------------------|--------|---------------------------|
| Levodopa |  | C ₉ H ₁₁ NO ₄ | 197.19 | Alamar | 12 |
| Levonordefrin |  | C ₉ H ₁₃ NO ₃ | 183.21 | Alamar | 0 |
| Lidocaine hydrochloride |  | C ₁₄ H ₂₃ ClN ₂ O | 270.81 | Alamar | 0 |
| Lidoflazine |  | C ₃₀ H ₃₅ F ₂ N ₃ O | 491.63 | Alamar | 47 |
| Lincomycin hydrochloride |  | C ₁₈ H ₃₅ ClN ₂ O ₆ S | 443.01 | Alamar | 51 |
| Liothyronine |  | C ₁₅ H ₁₂ I ₃ NO ₄ | 650.98 | Alamar | 0 |
| Lisinopril |  | C ₂₁ H ₃₅ N ₃ O ₇ | 441.53 | Alamar | 3 |
| Lisuride (S)(-) |  | C ₂₀ H ₂₆ N ₄ O | 338.46 | Alamar | 0 |
| Lithocholic acid |  | C ₂₄ H ₄₀ O ₃ | 376.58 | Alamar | 18 |
| Lobelanidine hydrochloride |  | C ₂₂ H ₃₀ ClNO ₂ | 375.94 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------------|---|--|------------------|--------|---------------------------|
| Lobeline alpha (-) hydrochloride |  | C ₂₂ H ₂₈ ClNO ₂ | 373.93 | Alamar | 0 |
| Lomefloxacin hydrochloride |  | C ₁₇ H ₂₀ ClF ₂ N ₃ O ₃ | 387.82 | Alamar | 99 |
| Loperamide hydrochloride |  | C ₂₉ H ₃₄ Cl ₂ N ₂ O ₂ | 513.51 | Alamar | 60 |
| Lovastatin |  | C ₂₄ H ₃₆ O ₅ | 404.55 | Alamar | 0 |
| Loxapine succinate |  | C ₂₂ H ₂₄ ClN ₃ O ₅ | 445.91 | Alamar | 49 |
| Lumicolchicine gamma |  | C ₂₂ H ₂₅ NO ₆ | 399.45 | Alamar | 0 |
| Lycorine hydrochloride |  | C ₁₆ H ₁₈ ClNO ₄ | 323.78 | Alamar | 0 |
| Lynestrenol |  | C ₂₀ H ₂₈ O | 284.45 | Alamar | 34 |
| Lysergol |  | C ₁₆ H ₁₈ N ₂ O | 254.33 | Alamar | 0 |
| Mafenide hydrochloride |  | C ₇ H ₁₁ ClN ₂ O ₂ S | 222.69 | Alamar | 19 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---|---|--|------------------|--------|---------------------------|
| Maprotiline hydrochloride |  | C ₂₀ H ₂₄ ClN | 313.87 | Alamar | 31 |
| Mebendazole |  | C ₁₆ H ₁₃ N ₃ O ₃ | 295.30 | Alamar | 0 |
| Mebeverine hydrochloride |  | C ₂₅ H ₃₆ ClNO ₅ | 466.02 | Alamar | 15 |
| Mebhydroline 1,5-naphthalenedisulfonate |  | C ₄₈ H ₄₈ N ₄ O ₆ S ₂ | 841.07 | Alamar | 28 |
| Mechlorethamine hydrochloride |  | C ₅ H ₁₂ Cl ₃ N | 192.52 | Alamar | 0 |
| Meclocycline sulfosalicylate |  | C ₂₉ H ₂₇ ClN ₂ O ₁₄ S | 695.06 | Alamar | 16 |
| Meclofenamic acid sodium salt monohydrate |  | C ₁₄ H ₁₂ Cl ₂ NNaO ₃ | 336.15 | Alamar | 0 |
| Meclofenoxate hydrochloride |  | C ₁₂ H ₁₇ Cl ₂ NO ₃ | 294.18 | Alamar | 0 |
| Meclozine dihydrochloride |  | C ₂₅ H ₂₉ Cl ₃ N ₂ | 463.88 | Alamar | 15 |
| Medrysone |  | C ₂₂ H ₃₂ O ₃ | 344.50 | Alamar | 14 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---|-----------|--|------------------|--------|---------------------------|
| Metampicillin sodium salt | | C ₁₈ H ₁₉ N ₂ NaO ₄ S | 382.42 | Alamar | 0 |
| Metanephrine hydrochloride DL | | C ₁₀ H ₁₆ ClNO ₃ | 233.70 | Alamar | 0 |
| Metaproterenol sulfate, orciprenaline sulfate | | C ₂₂ H ₃₆ N ₂ O ₁₀ S | 520.60 | Alamar | 0 |
| Metaraminol bitartrate | | C ₁₃ H ₁₉ NO ₈ | 317.30 | Alamar | 0 |
| Metergoline | | C ₂₅ H ₂₉ N ₃ O ₂ | 403.53 | Alamar | 63 |
| Metformin hydrochloride | | C ₄ H ₁₂ ClN ₅ | 165.63 | Alamar | 0 |
| Methacholine chloride | | C ₈ H ₁₈ ClNO ₂ | 195.69 | Alamar | 0 |
| Methapyrilene hydrochloride | | C ₁₄ H ₂₀ ClN ₃ S | 297.85 | Alamar | 0 |
| Methionine sulfoximine (L) | | C ₅ H ₁₂ N ₂ O ₃ S | 180.23 | Alamar | 0 |
| Methiothepin maleate | | C ₂₄ H ₂₈ N ₂ O ₄ S ₂ | 472.63 | Bactec | 94 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------|-----------|-------------------|------------------|--------|---------------------------|
| Methocarbamol | | C11H15NO5 | 241.25 | Alamar | 0 |
| Methotrexate | | C20H22N8O5 | 454.45 | Alamar | 0 |
| Methotrimeprazine maleate salt | | C23H28N2O5S | 444.55 | Alamar | 66 |
| Methoxamine hydrochloride | | C11H18ClNO3 | 247.72 | Alamar | 0 |
| Methoxy-6-harmalan | | C13H14N2O | 214.27 | Alamar | 39 |
| Methyl benzethonium chloride | | C28H44ClNO2 | 462.12 | Alamar | 90 |
| Methyl-6-thiouracil | | C5H6N2OS | 142.18 | Alamar | 0 |
| Methyldopa (L,-) | | C10H13NO4 | 211.22 | Alamar | 0 |
| Methylene blue | | C16H18ClN3S | 319.86 | Alamar | 12 |
| Methylergometrine maleate | | C24H29N3O6 | 455.52 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------------|--|---|------------------|--------|---------------------------|
| Methylhydantoin-5-(D) |  Chiral | C ₄ H ₆ N ₂ O ₂ | 114.10 | Alamar | 5 |
| Methylhydantoin-5-(L) |  Chiral | C ₄ H ₆ N ₂ O ₂ | 114.10 | Alamar | 0 |
| Methylprednisolone, 6-alpha |  | C ₂₂ H ₃₀ O ₅ | 374.48 | Alamar | 0 |
| Meticrane |  | C ₁₀ H ₁₃ NO ₄ S ₂ | 275.35 | Alamar | 20 |
| Metixene hydrochloride |  ClH | C ₂₀ H ₂₄ CIN ₃ S | 345.94 | Alamar | 67 |
| Metoclopramide monohydrochloride |  ClH | C ₁₄ H ₂₃ Cl ₂ N ₃ O ₂ | 336.26 | Alamar | 0 |
| Metolazone |  | C ₁₆ H ₁₆ CIN ₃ O ₃ S | 365.84 | Alamar | 0 |
| Metoprolol-(+,-) (+)-tartrate salt |  | C ₃₄ H ₅₆ N ₂ O ₁₂ | 684.83 | Alamar | 20 |
| Metrizamide |  | C ₁₈ H ₂₂ I ₃ N ₃ O ₈ | 789.10 | Alamar | 0 |
| Metronidazole |  | C ₆ H ₉ N ₃ O ₃ | 171.16 | Alamar | 7 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------|-----------|---|------------------|--------|---------------------------|
| Minoxidil | | C ₉ H ₁₅ N ₅ O | 209.25 | Alamar | 28 |
| Mitotane | | C ₁₄ H ₁₀ Cl ₄ | 320.05 | Alamar | 4 |
| Mitoxantrone dihydrochloride | | C ₂₂ H ₃₀ Cl ₂ N ₄ O ₆ | 517.41 | Alamar | 44 |
| Molsidomine | | C ₉ H ₁₄ N ₄ O ₄ | 242.24 | Alamar | 24 |
| Mometasone furoate | | C ₂₇ H ₃₀ Cl ₂ O ₆ | 521.44 | Alamar | 70 |
| Monensin sodium salt | | C ₃₆ H ₆₁ NaO ₁₁ | 692.87 | Alamar | 94 |
| Monocrotaline | | C ₁₆ H ₂₃ NO ₆ | 325.36 | Alamar | 0 |
| Morantel tartrate | | C ₁₆ H ₂₂ N ₂ O ₆ S | 370.43 | Alamar | 26 |
| Moxalactam disodium salt | | C ₂₀ H ₁₈ N ₆ Na ₂ O ₉ S | 564.44 | Alamar | 0 |
| Moxisylyte hydrochloride | | C ₁₆ H ₂₆ ClNO ₃ | 315.84 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------------|---|---|------------------|--------|---------------------------|
| Muramic acid, N-acetyl |  | C ₁₁ H ₁₉ N ₂ O ₈ | 293.28 | Alamar | 86 |
| Mycophenolic acid |  | C ₁₇ H ₂₀ O ₆ | 320.35 | Alamar | 0 |
| Myosmine |  | C ₉ H ₁₀ N ₂ | 146.19 | Alamar | 14 |
| N6-methyladenosine |  | C ₁₁ H ₁₅ N ₅ O ₄ | 281.27 | Alamar | 99 |
| N-Acetyl-DL-homocysteine Thiolactone |  | C ₆ H ₉ N ₂ O ₂ S | 159.21 | Alamar | 0 |
| Nadide |  | C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ | 663.44 | Alamar | 0 |
| Nadolol |  | C ₁₇ H ₂₇ N ₂ O ₄ | 309.41 | Alamar | 11 |
| Nafcillin sodium salt monohydrate |  | C ₂₁ H ₂₃ N ₂ NaO ₆ S | 454.48 | Alamar | 0 |
| Nafronyl oxalate |  | C ₂₆ H ₃₅ N ₂ O ₇ | 473.57 | Alamar | 0 |
| Nalbuphine hydrochloride |  | C ₂₁ H ₂₈ ClNO ₄ | 393.91 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------------|---|---|------------------|--------|---------------------------|
| Nalidixic acid sodium salt hydrate |  | C ₁₂ H ₁₃ N ₂ NaO ₄ | 272.24 | Alamar | 0 |
| Naloxone hydrochloride |  | C ₁₉ H ₂₂ ClNO ₄ | 363.84 | Alamar | 0 |
| Naltrexone hydrochloride |  | C ₂₀ H ₂₄ ClNO ₄ | 377.87 | Alamar | 0 |
| Napelline |  | C ₂₂ H ₃₃ NO ₃ | 359.51 | Alamar | 0 |
| Naphazoline hydrochloride |  | C ₁₄ H ₁₅ ClN ₂ | 246.74 | Alamar | 10 |
| Naproxen |  | C ₁₄ H ₁₄ O ₃ | 230.27 | Alamar | 22 |
| Naringin hydrate |  | C ₂₇ H ₃₄ O ₁₅ | 598.56 | Alamar | 0 |
| Neamine |  | C ₁₂ H ₂₆ N ₄ O ₆ | 322.36 | Alamar | 0 |
| Nefopam hydrochloride |  | C ₁₇ H ₂₀ ClNO | 289.81 | Alamar | 10 |
| Neomycin sulfate |  | C ₂₃ H ₅₂ N ₆ O ₂₅ S ₃ | 908.89 | Alamar | 3 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|---|--|------------------|--------|---------------------------|
| Neostigmine bromide |  | C ₁₂ H ₁₉ BrN ₂ O ₂ | 303.20 | Alamar | 3 |
| Nicardipine hydrochloride |  | C ₂₆ H ₃₀ ClN ₃ O ₆ | 516.00 | Alamar | 17 |
| Nicergoline maleate |  | C ₂₈ H ₃₀ BrN ₃ O ₇ | 600.47 | Alamar | 22 |
| Nicosamide |  | C ₁₃ H ₈ Cl ₂ N ₂ O ₄ | 327.13 | Alamar | 99 |
| Nifedipine |  | C ₁₇ H ₁₈ N ₂ O ₆ | 346.34 | Alamar | 42 |
| Nifenazone |  | C ₁₇ H ₁₆ N ₄ O ₂ | 308.34 | Alamar | 2 |
| Niflumic acid |  | C ₁₃ H ₉ F ₃ N ₂ O ₂ | 282.22 | Alamar | 6 |
| Nifuroxazide |  | C ₁₂ H ₉ N ₃ O ₅ | 275.22 | Alamar | 36 |
| Nimesulide |  | C ₁₃ H ₁₂ N ₂ O ₅ S | 308.31 | Alamar | 0 |
| Niridazole |  | C ₆ H ₆ N ₄ O ₃ S | 214.20 | Alamar | 18 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|-----------|---|------------------|--------|---------------------------|
| Nitrazine dihydrochloride | | C ₂₀ H ₂₇ Cl ₂ N ₃ | 380.36 | Alamar | 25 |
| Nitrofuraz | | C ₆ H ₆ N ₄ O ₄ | 198.14 | Alamar | 26 |
| Nitrofurantoin | | C ₈ H ₆ N ₄ O ₅ | 238.16 | Alamar | 28 |
| Nocodazole | | C ₁₄ H ₁₁ N ₃ O ₃ S | 301.33 | Alamar | 19 |
| Nomifensine maleate | | C ₂₀ H ₂₂ N ₂ O ₄ | 354.41 | Alamar | 11 |
| Norcyclobenzaprine | | C ₁₉ H ₁₉ N | 261.37 | Alamar | 68 |
| Norethindrone | | C ₂₀ H ₂₆ O ₂ | 298.43 | Alamar | 24 |
| Norethynodrel | | C ₂₀ H ₂₆ O ₂ | 298.43 | Alamar | 30 |
| Norfloxacin | | C ₁₆ H ₁₈ FN ₃ O ₃ | 319.34 | Alamar | 99 |
| Norgestrel(-)-D | | C ₂₁ H ₂₈ O ₂ | 312.46 | Alamar | 10 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|--|------------------|--------|---------------------------|
| Norharman |  | C ₁₁ H ₈ N ₂ | 168.20 | Alamar | 6 |
| Nortriptyline hydrochloride |  | C ₁₉ H ₂₂ ClN | 299.85 | Alamar | 63 |
| Noscapine |  | C ₂₂ H ₂₃ NO ₇ | 413.43 | Alamar | 3 |
| Novobiocin sodium salt |  | C ₃₁ H ₃₅ N ₂ NaO ₁₁ | 634.62 | Alamar | 0 |
| Nystatine |  | C ₄₇ H ₇₅ NO ₁₇ | 926.12 | Alamar | 18 |
| Ofloxacin |  | C ₁₈ H ₂₀ FN ₃ O ₄ | 361.38 | Alamar | 99 |
| Oleandomycin phosphate |  | C ₃₅ H ₆₄ NO ₁₆ P | 785.87 | Alamar | 23 |
| Omeprazole |  | C ₁₇ H ₁₉ N ₃ O ₃ S | 345.42 | Alamar | 15 |
| Ornidazole |  | C ₇ H ₁₀ ClN ₃ O ₃ | 219.63 | Alamar | 0 |
| Orphenadrine hydrochloride |  | C ₁₈ H ₂₄ ClNO | 305.85 | Alamar | 53 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|--|------------------|--------|---------------------------|
| Oxalamine citrate salt |  | C ₂₀ H ₂₇ N ₃ O ₈ | 437.45 | Alamar | 0 |
| Oxantel pamoate |  | C ₃₆ H ₃₂ N ₂ O ₇ | 604.67 | Alamar | 33 |
| Oxethazaine |  | C ₂₈ H ₄₁ N ₃ O ₃ | 467.66 | Alamar | 45 |
| Oxolinic acid |  | C ₁₃ H ₁₁ N ₁ O ₅ | 261.24 | Alamar | 22 |
| Oxybutynin chloride |  | C ₂₂ H ₃₂ ClNO ₃ | 393.96 | Alamar | 23 |
| Oxymetazoline hydrochloride |  | C ₁₆ H ₂₅ ClN ₂ O | 296.84 | Alamar | 27 |
| Oxytetracycline dihydrate |  | C ₂₂ H ₂₈ N ₂ O ₁₁ | 496.48 | Alamar | 19 |
| Paclitaxel |  | C ₄₇ H ₅₁ N ₁ O ₁₄ | 853.93 | Alamar | 0 |
| Palmitine chloride |  | C ₂₁ H ₂₂ ClNO ₄ | 387.87 | Alamar | 29 |
| Panthenol (D) |  | C ₉ H ₁₉ NO ₄ | 205.26 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---|---|--|------------------|--------|---------------------------|
| Pantothenic acid calcium salt monohydrate |  | C ₁₈ H ₃₄ CaN ₂ O ₁₁ | 494.56 | Alamar | 5 |
| Papaverine hydrochloride |  | C ₂₀ H ₂₂ ClNO ₄ | 375.86 | Alamar | 0 |
| Pargyline hydrochloride |  | C ₁₁ H ₁₄ ClN | 195.69 | Alamar | 0 |
| Paromomycin sulfate |  | C ₂₃ H ₄₇ N ₅ O ₁₈ S | 713.72 | Alamar | 66 |
| Parthenolide |  | C ₁₅ H ₂₀ O ₃ | 248.32 | Alamar | 49 |
| Pempidine tartrate |  | C ₁₄ H ₂₇ NO ₆ | 305.37 | Alamar | 0 |
| Pentolinium bitartrate |  | C ₂₃ H ₄₂ N ₂ O ₁₂ | 538.60 | Alamar | 0 |
| Pentoxifylline |  | C ₁₃ H ₁₈ N ₄ O ₃ | 278.31 | Alamar | 0 |
| Pentylene tetrazole |  | C ₆ H ₁₀ N ₄ | 138.17 | Alamar | 0 |
| Pepstatin A |  | C ₃₄ H ₆₃ N ₅ O ₉ | 685.91 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------|---|--|------------------|--------|---------------------------|
| Pergolide mesylate |  | C ₂₀ H ₃₀ N ₂ O ₃ S ₂ | 410.60 | Alamar | 15 |
| Perhexiline maleate |  | C ₂₃ H ₃₉ N ₂ O ₄ | 393.57 | Alamar | 95 |
| Perphenazine |  | C ₂₁ H ₂₆ ClN ₃ O ₃ S | 403.98 | Alamar | 88 |
| Phenacetin |  | C ₁₀ H ₁₃ NO ₂ | 179.22 | Alamar | 0 |
| Phenazopyridine hydrochloride |  | C ₁₁ H ₁₂ ClN ₅ | 249.70 | Alamar | 46 |
| Phenelzine sulfate |  | C ₈ H ₁₄ N ₂ O ₄ S | 234.28 | Alamar | 0 |
| Phenethicillin potassium salt |  | C ₁₇ H ₁₉ KN ₂ O ₅ S | 402.52 | Alamar | 0 |
| Phenindione |  | C ₁₅ H ₁₀ O ₂ | 222.25 | Alamar | 0 |
| Pheniramine maleate |  | C ₂₀ H ₂₄ N ₂ O ₄ | 356.43 | Alamar | 0 |
| Phentolamine hydrochloride |  | C ₁₇ H ₂₀ ClN ₃ O | 317.82 | Alamar | 18 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------------|---|--|------------------|--------|---------------------------|
| Phenylpropanolamine hydrochloride |  | C ₉ H ₁₄ ClNO | 187.67 | Alamar | 0 |
| Phosphocreatine di tris salt |  | C ₁₂ H ₃₂ N ₅ O ₁₁ P | 453.39 | Alamar | 0 |
| Phthalylsulfathiazole |  | C ₁₇ H ₁₃ N ₃ O ₅ S ₂ | 403.44 | Alamar | 14 |
| Picotamide monohydrate |  | C ₂₁ H ₂₂ N ₄ O ₄ | 394.43 | Alamar | 0 |
| Picrotoxinin |  | C ₁₅ H ₁₆ O ₆ | 292.29 | Alamar | 0 |
| Pilocarpine nitrate |  | C ₁₁ H ₁₇ N ₃ O ₅ | 271.28 | Alamar | 0 |
| Pimethixene maleate |  | C ₂₃ H ₂₃ N ₂ O ₄ S | 409.51 | Alamar | 46 |
| Pimozide |  | C ₂₈ H ₂₉ F ₂ N ₃ O | 461.56 | Alamar | 96 |
| pinacidil |  | C ₁₃ H ₁₉ N ₅ | 245.33 | Alamar | 2 |
| Pindolol |  | C ₁₄ H ₂₀ N ₂ O ₂ | 248.33 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------|---|---|------------------|--------|---------------------------|
| Pipenzolate bromide |  | C ₂₂ H ₂₈ BrNO ₃ | 434.38 | Alamar | 0 |
| Piperacillin sodium salt |  | C ₂₃ H ₂₆ N ₅ NaO ₇ S | 539.55 | Alamar | 0 |
| Piperlongumine |  | C ₁₇ H ₁₉ NO ₅ | 317.34 | Alamar | 0 |
| Piracetam |  | C ₆ H ₁₀ N ₂ O ₂ | 142.16 | Alamar | 9 |
| Pirenperone |  | C ₂₃ H ₂₄ FN ₃ O ₂ | 393.47 | Alamar | 0 |
| Piromidic acid |  | C ₁₄ H ₁₆ N ₄ O ₃ | 288.31 | Alamar | 0 |
| Podophyllotoxin |  | C ₂₂ H ₂₂ O ₈ | 414.42 | Alamar | 9 |
| Practolol |  | C ₁₄ H ₂₂ N ₂ O ₃ | 266.34 | Alamar | 1 |
| Pramoxine hydrochloride |  | C ₁₇ H ₂₈ ClNO ₃ | 329.87 | Alamar | 75 |
| Praziquantel |  | C ₁₉ H ₂₄ N ₂ O ₂ | 312.42 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|--|---|------------------|--------|---------------------------|
| Prochlorperazine dimaleate |  | C ₂₈ H ₃₂ ClN ₃ O ₈ S | 606.10 | Alamar | 56 |
| Procyclidine hydrochloride |  ClH | C ₁₉ H ₃₀ ClNO | 323.91 | Alamar | 19 |
| Progesterone |  Chiral | C ₂₁ H ₃₀ O ₂ | 314.47 | Alamar | 24 |
| Proglumide |  | C ₁₈ H ₂₆ N ₂ O ₄ | 334.42 | Alamar | 20 |
| Promazine hydrochloride |  ClH | C ₁₇ H ₂₁ ClN ₂ S | 320.89 | Alamar | 63 |
| Propafenone hydrochloride |  ClH | C ₂₁ H ₂₈ ClNO ₃ | 377.92 | Alamar | 53 |
| Propantheline bromide |  Br ⁻ | C ₂₃ H ₃₀ BrNO ₃ | 448.40 | Alamar | 7 |
| Propidium iodide |  I ⁻ I ⁻ | C ₂₇ H ₃₄ I ₂ N ₄ | 668.41 | Alamar | 28 |
| Propylthiouracil |  | C ₇ H ₁₀ N ₂ OS | 170.23 | Alamar | 12 |
| Protoveratrine A |  | C ₄₁ H ₆₃ NO ₁₄ | 793.96 | Alamar | 10 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------------|-----------|---|------------------|--------|---------------------------|
| Pseudopelletierine hydrochloride | | C ₉ H ₁₆ ClNO | 189.69 | Alamar | 22 |
| Pyrantel tartrate | | C ₁₅ H ₂₀ N ₂ O ₆ S | 356.40 | Alamar | 3 |
| Pyrazinamide | | C ₅ H ₅ N ₃ O | 123.12 | Alamar | 0 |
| Pyridoxine hydrochloride | | C ₈ H ₁₂ ClNO ₃ | 205.64 | Alamar | 0 |
| Pyrilamine maleate | | C ₂₁ H ₂₇ N ₃ O ₅ | 401.47 | Alamar | 0 |
| Pyrimethamine | | C ₁₂ H ₁₃ ClN ₄ | 248.72 | Alamar | 58 |
| Pyrithione sodium salt | | C ₅ H ₄ NNaOS | 149.15 | Alamar | 98 |
| Pyrithyldione | | C ₉ H ₁₃ NO ₂ | 167.21 | Alamar | 0 |
| Quercetine dihydrate | | C ₁₅ H ₁₄ O ₉ | 338.27 | Alamar | 0 |
| Quinidine hydrochloride monohydrate | | C ₂₀ H ₂₇ ClN ₂ O ₃ | 378.90 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|---|---|------------------|--------|---------------------------|
| Quipazine dimaleate salt |  | C ₂₁ H ₂₃ N ₃ O ₈ | 445.43 | Alamar | 2 |
| Racecadotril |  | C ₂₁ H ₂₃ NO ₄ S | 385.49 | Alamar | 18 |
| Raloxifene hydrochloride |  | C ₂₈ H ₂₈ ClNO ₄ S | 510.06 | Alamar | 59 |
| Rauwolfscine hydrochloride |  | C ₂₁ H ₂₇ ClN ₂ O ₃ | 390.91 | Alamar | 4 |
| Remerine hydrochloride |  | C ₁₈ H ₁₈ ClNO ₂ | 315.80 | Alamar | 58 |
| Rescinnamin |  | C ₃₅ H ₄₂ N ₂ O ₉ | 634.73 | Alamar | 50 |
| Reserpine |  | C ₃₃ H ₄₀ N ₂ O ₉ | 608.69 | Alamar | 58 |
| Retinoic acid |  | C ₂₀ H ₂₈ O ₂ | 300.44 | Alamar | 60 |
| Retrorsine |  | C ₁₈ H ₂₅ NO ₆ | 351.40 | Alamar | 0 |
| Riboflavin |  | C ₁₇ H ₂₀ N ₄ O ₆ | 376.37 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------|--|-------------------|------------------|--------|---------------------------|
| Ribostamycin sulfate salt |  | C17H36N4O14S | 552.56 | Alamar | 0 |
| Ricine |  | C8H8N2O2 | 164.17 | Alamar | 0 |
| Rifampicin |  | C43H58N4O12 | 822.96 | Alamar | 98 |
| Riluzole hydrochloride |  | C8H6ClF3N2OS | 270.66 | Alamar | 12 |
| Ritodrine hydrochloride |  | C17H22ClNO3 | 323.82 | Alamar | 0 |
| Rolitetracycline |  | C27H33N3O8 | 527.58 | Alamar | 11 |
| Roxithromycin |  | C41H76N2O15 | 837.07 | Alamar | 66 |
| Salbutamol |  | C13H21NO3 | 239.32 | Alamar | 0 |
| Salsolinol hydrobromide | <small>Chiral</small>  | C10H14BrNO2 | 260.13 | Alamar | 27 |
| Scopolamine hydrochloride |  | C17H22ClNO4 | 339.82 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------------|---|--|------------------|--------|---------------------------|
| Scopolamin-N-oxide hydrobromide |  | C ₁₇ H ₂₂ BrNO ₅ | 400.27 | Alamar | 0 |
| Scoulerine |  | C ₁₉ H ₂₁ NO ₄ | 327.38 | Alamar | 3 |
| Securinine |  | C ₁₃ H ₁₅ NO ₂ | 217.27 | Alamar | 2 |
| Selegiline hydrochloride |  | C ₁₃ H ₁₈ CIN | 223.75 | Alamar | 4 |
| Semustine |  | C ₁₀ H ₁₈ CIN ₃ O ₂ | 247.73 | Alamar | 0 |
| Seneciophylline |  | C ₁₈ H ₂₃ NO ₅ | 333.39 | Alamar | 0 |
| Serotonin hydrochloride |  | C ₁₀ H ₁₃ CIN ₂ O | 212.68 | Alamar | 3 |
| Sevedindione |  | C ₂₇ H ₄₁ NO ₃ | 427.63 | Alamar | 0 |
| Simvastatin |  | C ₂₅ H ₃₈ O ₅ | 418.58 | Alamar | 16 |
| Sisomicin sulfate |  | C ₃₈ H ₈₄ N ₁₀ O ₃₄ S ₅ | 1385.46 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------------|---|---|------------------|--------|---------------------------|
| Skimmianine |  | C ₁₄ H ₁₃ NO ₄ | 259.26 | Alamar | 15 |
| Solanine alpha |  | C ₄₅ H ₇₃ NO ₁₅ | 868.08 | Alamar | 0 |
| Solasodine |  | C ₂₇ H ₄₃ NO ₂ | 413.65 | Alamar | 36 |
| Sparteine (-) |  | C ₁₅ H ₂₆ N ₂ | 234.39 | Alamar | 5 |
| Spectinomycin (dihydrochloride) |  | C ₁₄ H ₂₆ Cl ₂ N ₂ O ₇ | 405.28 | Alamar | 71 |
| Spiperone |  | C ₂₃ H ₂₆ FN ₃ O ₂ | 395.48 | Alamar | 15 |
| Spiramycin |  | C ₄₃ H ₇₄ N ₂ O ₁₄ | 843.07 | Alamar | 3 |
| Spirolactone |  | C ₂₄ H ₃₂ O ₄ S | 416.58 | Alamar | 23 |
| SR-95639A |  | C ₁₉ H ₂₆ Cl ₂ N ₄ O | 397.35 | Alamar | 41 |
| Stachydrine hydrochloride |  | C ₇ H ₁₄ ClNO ₂ | 179.65 | Alamar | 6 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------|---|-------------------|------------------|--------|---------------------------|
| Streptomycin sulfate |  | C42H84N14O36S3 | 1457.40 | Alamar | 97 |
| Streptozotocin |  | C8H15N3O7 | 265.22 | Alamar | 13 |
| Strophanthidin |  | C23H32O6 | 404.51 | Alamar | 12 |
| Strophantine octahydrate |  | C29H60O20 | 728.79 | Alamar | 0 |
| Strychnine |  | C21H22N2O2 | 334.42 | Alamar | 0 |
| Sulconazole nitrate |  | C18H16Cl3N3O3S | 460.77 | Alamar | 96 |
| Sulfabenzamide |  | C13H12N2O3S | 276.32 | Alamar | 17 |
| Sulfacetamide sodic hydrate |  | C8H11N2NaO4S | 254.24 | Alamar | 49 |
| Sulfachloropyridazine |  | C10H9ClN4O2S | 284.73 | Alamar | 59 |
| Sulfadiazine |  | C10H10N4O2S | 250.28 | Alamar | 41 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|-----------|-------------------|------------------|--------|---------------------------|
| Sulfadimethoxine | | C12H14N4O4S | 310.33 | Alamar | 63 |
| Sulfaguanidine | | C7H10N4O2S | 214.25 | Alamar | 23 |
| Sulfamerazine | | C11H12N4O2S | 264.31 | Alamar | 28 |
| Sulfameter | | C11H12N4O3S | 280.31 | Alamar | 40 |
| Sulfamethazine sodium salt | | C12H13N4NaO2S | 300.32 | Alamar | 0 |
| Sulfamethizole | | C9H10N4O2S2 | 270.33 | Alamar | 76 |
| Sulfamethoxazole | | C10H11N3O3S | 253.28 | Alamar | 65 |
| Sulfamethoxypyridazine | | C11H12N4O3S | 280.31 | Alamar | 47 |
| Sulfamonomethoxine | | C11H12N4O3S | 280.31 | Alamar | 86 |
| Sulfanilamide | | C6H8N2O2S | 172.21 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------|-----------|--|------------------|--------|---------------------------|
| Sulfaphenazole | | C ₁₅ H ₁₄ N ₄ O ₂ S | 314.37 | Alamar | 42 |
| Sulfapyridine | | C ₁₁ H ₁₁ N ₃ O ₂ S | 249.29 | Alamar | 5 |
| Sulfaquinoxaline sodium salt | | C ₁₄ H ₁₁ N ₄ NaO ₂ S | 322.32 | Alamar | 93 |
| Sulfasalazine | | C ₁₈ H ₁₄ N ₄ O ₅ S | 398.40 | Alamar | 0 |
| Sulfathiazole | | C ₉ H ₉ N ₃ O ₂ S ₂ | 255.32 | Alamar | 91 |
| Sulfinpyrazone | | C ₂₃ H ₂₀ N ₂ O ₃ S | 404.49 | Alamar | 0 |
| Sulfisoxazole | | C ₁₁ H ₁₃ N ₃ O ₃ S | 267.31 | Alamar | 24 |
| Sulindac | | C ₂₀ H ₁₇ FO ₃ S | 356.42 | Alamar | 20 |
| Sulmazole | | C ₁₄ H ₁₃ N ₃ O ₂ S | 287.34 | Alamar | 53 |
| Suloctidil | | C ₂₀ H ₃₅ NOS | 337.57 | Alamar | 42 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-------------------------------|---|-------------------|------------------|--------|---------------------------|
| Sulpiride |  | C15H23N3O4S | 341.43 | Alamar | 0 |
| Suprofen |  | C14H12O3S | 260.31 | Alamar | 0 |
| Suxibuzone |  | C24H26N2O6 | 438.48 | Alamar | 0 |
| Syrosingopine |  | C35H42N2O11 | 666.73 | Alamar | 50 |
| Tacrine hydrochloride hydrate |  | C13H17ClN2O | 252.75 | Alamar | 1 |
| Tadjakonine |  | C31H35NO7 | 533.63 | Alamar | 0 |
| Tamoxifen citrate |  | C32H37NO8 | 563.65 | Alamar | 87 |
| Telenzepine dihydrochloride |  | C19H24Cl2N4O2S | 443.40 | Alamar | 7 |
| Tenoxicam |  | C13H11N3O4S2 | 337.38 | Alamar | 0 |
| Terazosin hydrochloride |  | C19H26ClN5O4 | 423.90 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------------|---|---|------------------|--------|---------------------------|
| Terbutaline hemisulfate |  | C ₂₄ H ₄₀ N ₂ O ₁₀ S | 548.66 | Alamar | 18 |
| Terconazole |  | C ₂₆ H ₃₁ Cl ₂ N ₅ O ₃ | 532.47 | Alamar | 56 |
| Terfenadine |  | C ₃₂ H ₄₁ N ₂ O ₂ | 471.69 | Alamar | 88 |
| Testosterone propionate |  | C ₂₂ H ₃₂ O ₃ | 344.50 | Alamar | 58 |
| Tetracycline hydrochloride |  | C ₂₂ H ₂₅ ClN ₂ O ₈ | 480.91 | Alamar | 16 |
| Tetrahydroalstonine |  | C ₂₁ H ₂₄ N ₂ O ₃ | 352.44 | Alamar | 12 |
| Tetrahydroxy-1,4-quinone monohydrate |  | C ₆ H ₆ O ₇ | 190.11 | Alamar | 0 |
| Tetrahydrozoline hydrochloride |  | C ₁₃ H ₁₇ ClN ₂ | 236.75 | Alamar | 0 |
| Tetramisole hydrochloride |  | C ₁₁ H ₁₃ ClN ₂ S | 240.76 | Alamar | 15 |
| Tetrazoline hydrochloride |  | C ₁₂ H ₁₅ ClN ₂ | 222.72 | Alamar | 0 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|----------------------------|---|-------------------|------------------|--------|---------------------------|
| Tetrazolone hydrochloride |  | C12H13ClN2O | 236.70 | Alamar | 0 |
| Thalidomide |  | C13H10N2O4 | 258.24 | Alamar | 0 |
| Theobromine |  | C7H8N4O2 | 180.17 | Alamar | 0 |
| Theophylline monohydrate |  | C7H10N4O3 | 198.18 | Alamar | 8 |
| Thiamine hydrochloride |  | C12H18Cl2N4OS | 337.27 | Alamar | 5 |
| Thiamphenicol |  | C12H15Cl2NO5S | 356.23 | Alamar | 79 |
| Thimerosal |  | C9H9HgNaO2S | 404.81 | Alamar | 99 |
| Thiocolchicoside |  | C27H33NO10S | 563.63 | Alamar | 0 |
| Thiopropazine dimesylate |  | C24H38N4O8S4 | 638.85 | Alamar | 33 |
| Thioridazine hydrochloride |  | C21H27ClN2S2 | 407.04 | Alamar | 96 |











| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|-----------|-------------------|------------------|--------|---------------------------|
| Thiorphan | | C12H15NO3S | 253.32 | Alamar | 0 |
| Thiourea, 1-phenyl-3-(2-thiazolyl)-2- | | C10H9N3S2 | 235.33 | Alamar | 53 |
| Thyroxine (L) | | C15H11I4NO4 | 776.88 | Alamar | 0 |
| Tiapride hydrochloride | | C15H25ClN2O4S | 364.89 | Alamar | 0 |
| Tiaprofenic acid | | C14H12O3S | 260.31 | Alamar | 26 |
| Ticlopidine hydrochloride | | C14H15Cl2NS | 300.25 | Alamar | 33 |
| Tinidazole | | C8H13N3O4S | 247.27 | Alamar | 0 |
| Tiratricol, 3,3',5-triiodothyroacetic acid | | C14H9I3O4 | 621.94 | Alamar | 0 |
| Tobramycin | | C18H37N5O9 | 467.52 | Alamar | 29 |
| Tocopherol (R,S) | | C29H50O2 | 430.72 | Alamar | 7 |




| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--------------------------------|-----------|-------------------|------------------|--------|---------------------------|
| Todalazine hydrochloride | | C11H13ClN4O2 | 268.70 | Alamar | 0 |
| Tolazamide | | C14H21N3O3S | 311.41 | Alamar | 0 |
| Tolazoline hydrochloride | | C10H13ClN2 | 196.68 | Alamar | 0 |
| Tolbutamide | | C12H18N2O3S | 270.35 | Alamar | 0 |
| Tolfenamic acid | | C14H12ClNO2 | 261.71 | Alamar | 0 |
| Tolmetin sodium salt dihydrate | | C15H19NaO5 | 316.31 | Alamar | 0 |
| Tolnaftate | | C19H17NOS | 307.42 | Alamar | 33 |
| Tomatidine | | C27H45NO2 | 415.67 | Alamar | 73 |
| Tranexamic acid | | C8H15NO2 | 157.21 | Alamar | 0 |
| Tranlycypromine hydrochloride | | C9H12ClN | 169.66 | Alamar | 4 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|-----------------------------------|-----------|--|------------------|--------|---------------------------|
| Trazodone hydrochloride | | C ₁₉ H ₂₃ Cl ₂ N ₅ O | 408.33 | Alamar | 0 |
| Tremorine dihydrochloride | | C ₁₂ H ₂₂ Cl ₂ N ₂ | 265.23 | Alamar | 8 |
| Triamcinolone | | C ₂₁ H ₂₇ FO ₆ | 394.44 | Alamar | 0 |
| Triamterene | | C ₁₂ H ₁₁ N ₇ | 253.27 | Alamar | 45 |
| Trichlorfon | | C ₄ H ₈ Cl ₃ O ₄ P | 257.44 | Alamar | 0 |
| Trichlormethiazide | | C ₈ H ₈ Cl ₃ N ₃ O ₄ S ₂ | 380.66 | Alamar | 0 |
| Triflupromazine hydrochloride | | C ₁₈ H ₂₀ ClF ₃ N ₂ S | 388.89 | Alamar | 69 |
| Triflusal | | C ₁₀ H ₇ F ₃ O ₄ | 248.16 | Alamar | 0 |
| Trigonelline hydrochloride | | C ₇ H ₈ ClNO ₂ | 173.60 | Alamar | 27 |
| Trihexyphenidyl-D,L Hydrochloride | | C ₂₀ H ₃₂ ClNO | 337.94 | Alamar | 27 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|---------------------------------|---|---|------------------|--------|---------------------------|
| Trimeprazine tartrate |  | C ₄₀ H ₅₀ N ₄ O ₆ S ₂ | 747.00 | Alamar | 69 |
| Trimetazidine dihydrochloride |  | C ₁₄ H ₂₄ Cl ₂ N ₂ O ₃ | 339.26 | Alamar | 22 |
| Trimethadione |  | C ₆ H ₉ NO ₃ | 143.14 | Alamar | 0 |
| Trimethobenzamide hydrochloride |  | C ₂₁ H ₂₉ ClN ₂ O ₅ | 424.93 | Alamar | 0 |
| Trimethoprim |  | C ₁₄ H ₁₈ N ₄ O ₃ | 290.32 | Alamar | 0 |
| Trimethylcolchicine acid |  | C ₁₉ H ₂₁ NO ₅ | 343.38 | Alamar | 9 |
| Trimipramine maleate salt |  | C ₂₄ H ₃₀ N ₂ O ₄ | 410.52 | Alamar | 64 |
| Trioxsalen |  | C ₁₄ H ₁₂ O ₃ | 228.25 | Alamar | 34 |
| Tripolidine hydrochloride |  | C ₁₉ H ₂₃ ClN ₂ | 314.86 | Alamar | 7 |
| Troleandomycin |  | C ₄₁ H ₆₇ NO ₁₅ | 813.99 | Alamar | 35 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|---|--|------------------|--------|---------------------------|
| Trolox |  | C ₁₄ H ₁₈ O ₄ | 250.30 | Alamar | 0 |
| Tropicamide |  | C ₁₇ H ₂₀ N ₂ O ₂ | 284.36 | Alamar | 0 |
| Tubocurarine chloride pentahydrate (+) |  | C ₃₇ H ₅₂ Cl ₂ N ₂ O ₁₁ | 771.74 | Alamar | 4 |
| Ungerine nitrate |  | C ₁₈ H ₂₀ N ₂ O ₈ | 392.37 | Alamar | 0 |
| Ursolic acid |  | C ₃₀ H ₄₈ O ₃ | 456.72 | Alamar | 42 |
| Vancomycin hydrochloride |  | C ₆₆ H ₇₆ Cl ₃ N ₉ O ₂₄ | 1485.75 | Alamar | 0 |
| Verapamil hydrochloride |  | C ₂₇ H ₃₉ ClN ₂ O ₄ | 491.08 | Alamar | 11 |
| Veratroylzygadenine |  | C ₃₆ H ₅₁ N ₃ O ₁₀ | 657.81 | Alamar | 0 |
| Vidarabine |  | C ₁₀ H ₁₃ N ₅ O ₄ | 267.25 | Alamar | 0 |
| Vigabatrin |  | C ₆ H ₁₁ NO ₂ | 129.16 | Bactec | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|------------------------------|---|---|------------------|--------|---------------------------|
| Viloxazine hydrochloride |  | C ₁₃ H ₂₀ ClNO ₃ | 273.76 | Alamar | 15 |
| Vincamine |  | C ₂₁ H ₂₆ N ₂ O ₃ | 354.45 | Alamar | 0 |
| Vinpocetine |  | C ₂₂ H ₂₆ N ₂ O ₂ | 350.46 | Alamar | 27 |
| Vitexin |  | C ₂₁ H ₂₀ O ₁₀ | 432.39 | Alamar | 0 |
| Xylazine |  | C ₁₂ H ₁₆ N ₂ S | 220.34 | Alamar | 44 |
| Xylometazoline hydrochloride |  | C ₁₆ H ₂₅ ClN ₂ | 280.84 | Alamar | 36 |
| Yohimbine hydrochloride |  | C ₂₁ H ₂₇ ClN ₂ O ₃ | 390.91 | Alamar | 0 |
| Yohimbic acid monohydrate |  | C ₂₀ H ₂₆ N ₂ O ₄ | 358.44 | Alamar | 0 |
| Zaprinast |  | C ₁₃ H ₁₃ N ₅ O ₂ | 271.28 | Alamar | 0 |
| Zidovudine, AZT |  | C ₁₀ H ₁₃ N ₅ O ₄ | 267.25 | Alamar | 0 |

| Name | Structure | Molecular Formula | Molecular Weight | Assay | % Inh. (at 6.25 µg/mL) |
|--|---|--|------------------|--------|---------------------------|
| Zimelidine dihydrochloride monohydrate |  | C ₁₆ H ₂₁ BrCl ₂ N ₂ O | 408.17 | Alamar | 0 |
| Zomepirac sodium salt |  | C ₁₅ H ₁₃ ClN ₂ NaO ₃ | 313.72 | Alamar | 0 |
| Zoxazolamine |  | C ₇ H ₅ ClN ₂ O | 168.58 | Alamar | 0 |